IN THE CLAIMS:

- 1. Canceled.
- 2. (Presently Amended) The firearm support system of elaim 1 claim 21, wherein the firearm support system pivots relative to the fixed structure.

Michael Leetzow

- 3. (Presently Amended) The firearm support system of elaim 1 claim 21, wherein the support element is flexible.
- 4. (Presently Amended) The firearm support system of elaim 1 claim 21, wherein the extendable arm is telescopic.
- 5. (Presently Amended) The firearm support system of claim 1 claim 21, wherein the extendable arm comprises a plurality of rotatably connected arm segments.
- Previously Cancelled. 6.
- 7. (Presently Amended) The firearm support system of elaim 1 claim 21, wherein the plurality of rest members are attached to at least one flexible elongated fibrous element.

- 8. (Presently Amended) The firearm support system of claim 1 claim 21, wherein at least one of the rest members has a closeable opening to store a plurality of securing elements.
- 9. (Previously Presented) The firearm support system of claim 8, wherein the securing clements are screws.
- 10. (Presently Amended) The firearm support system of claim 1 claim 21, further comprising a screw driver head fixedly attached to a portion of the extendable arm.
- 11. (Presently Amended) The firearm support system of claim 1 claim 21, wherein the at least a portion of the extendible arm has a projection and the support attachment member is configured to receive the projection in a pivotable manner.
- 12. (Presently Amended) A firearm support system comprising: an extendable arm, the extendable arm having a first end configured to engage a support structure; and

a support element secured to a second end of the extendable arm, the support element having a predetermined fixed length extending from the extendable arm and having a plurality of rest members <u>lixedly attached thereto.</u>

- 13. (Original) The firearm support system of claim 12, wherein the first end is a rounded portion with threads to engage the support structure.
- 14. (Original) The firearm support system of claim 12, wherein the first end has a projection to engage a holder that is attached to the support structure.
- 15. (Previously Presented) The firearm support system of claim 14, further comprising an attachment member to engage a fixed structure and configured to accept the projection on the first end of the extendable arm.
- 16. (Presently Amended) The firearm support system of elaim 1 claim 21, wherein the support structure is a tree.
- 17. (Presently Amended) The firearm support system of claim 1 claim 21, wherein the support structure is a tree stand.
- 18. Canceled.
- 19. (Presently Amended) A firearm support system consisting of: an arm configured to be pivotally attached to a support structure and to extend in a generally horizontal direction away from the structure; and

8.9

two support elements a support element fixed to one end of the arm, the two support clements support element having a plurality of rigid rest members spaced from one other along at least a portion of the two support elements.

20. (New) A firearm support system comprising:

an extendable arm having at least one end, the at least one end have a single terminus; two support elements attached to the at least one end of the extendable arm adjacent the single terminus and having a plurality of rigid rest members spaced from one another along at least a portion of the two support elements, each of the rigid rest members attached to each of the two support elements; and

a support attachment member to engage a fixed structure and configured to accept at least a portion of the extendable arm.

21. (New) A firearm support system comprising:

an extendable arm having at least one end;

a support element attached to and extending from the at least one end of the extendable arm, the support element having a predetermined fixed length extending from the extendable arm;

a plurality of rest members fixedly attached to the support element and spaced from one another along at least a portion of the support element; and

a support attachment member to engage a fixed structure and configured to accept at least a portion of the extendable arm.